



## **LEGAL NOTICE**

### **INVITATION TO SUBMIT QUOTATIONS**

The Town of Smyrna will accept quotations on the purchase of equipment for the Fire Department. Bidders shall submit sealed quotations in the format specified in the Invitation to Submit Quotations no later than **10:30a.m. January 29, 2019** at which time bids will be publicly opened and read aloud. No bid may be withdrawn after the scheduled closing time for a period of 90 days. Bidding documents may be obtained at Smyrna Town Hall during regular business hours or [www.townofsmyrna.org](http://www.townofsmyrna.org). Quotations should be mailed or hand delivered to:

Rex S. Gaither  
Smyrna Town Hall  
**Sealed Bid on Fire Dept Equipment / January 29 @ 10:30a.m.**  
315 South Lowry Street  
Smyrna, TN 37167

The Town of Smyrna will not discriminate in the purchase of all goods and services on the basis of race, color, religion, sex, national origin, age, disability or any other lawfully protected classification.

Verbal quotations or quotations received after the closing date will not be accepted. The Town of Smyrna reserves the right to reject any and all bids, to waive technicalities or informalities and to accept any bid deemed to be in the best interest of the Town.

SUBMITTED BY: REX S. GAITHER  
FINANCE DIRECTOR

TO BE RUN: January 15, 2019

# TABLE OF CONTENTS

	<b>PAGE</b>
<b>SECTION I - GENERAL INFORMATION</b>	<b>3</b>
<b>SECTION II - SPECIFICATIONS &amp; PRICE QUOTATION</b>	<b>7 - 19</b>
<b>SECTION III - SPECIFICATION COMPLIANCE</b>	<b>20</b>

## **SECTION I - GENERAL INFORMATION**

- A. The Town of Smyrna requests quotations on the purchase of equipment for the Fire Department.

Smyrna Town Hall location:  
315 South Lowry Street  
Smyrna, TN 37167

Smyrna Fire Station # 4  
145 South Lowry Street  
Smyrna, TN 37167

Questions should be directed to Asst. Chief James Lawrence, Phone: 615-459-9735 Ext. 7520, E-mail: [james.lawrence@townofsmyrna.org](mailto:james.lawrence@townofsmyrna.org) or Asst. Chief Ferris Belcher, Phone: 615-459-9735 ext. 7562, E-mail: [ferris.belcher@townofsmyrna.org](mailto:ferris.belcher@townofsmyrna.org).

- B. The Town of Smyrna reserves the right to reject any and all bids, to waive technicalities or informalities and to accept any bid deemed to be in the best interest of the Town. No bid may be withdrawn after the scheduled closing time for a period of 90 days
- C. The bidder shall abide by and comply with the true intent of the specifications and not take advantage of any unintentional error or omission, but shall fully address the full intent and meaning of each aspect of the specifications.
- D. Section II and III shall be completed and included as an integral part of each bidder's proposal.
- E. Freight shall be paid by vendor and should be included in unit price bid.
- F. The Town is a tax exempt organization.
- G. Mail is delivered after 11:00 a.m. Monday through Friday.
- H. The Town of Smyrna, in accordance with Title VI of the Civil Rights Act of 1964 and Title 49, Code of Federal Regulations, hereby notifies all Bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, creed, sex, handicap or national origin in consideration for an award.
- I. Bid quotations must be submitted on the Town's quotation page(s). No exceptions.
- J. By submission of this bid, each bidder/proposer and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to T.C.A. § 12-12-106 Iran Divestment Act.  
[https://www.tn.gov/assets/entities/generalservices/cpo/attachments/List\\_of\\_persons\\_pursuant\\_to\\_Tenn.\\_Code\\_Ann.\\_12-12-106,\\_Iran\\_Divestment\\_Act-July.pdf](https://www.tn.gov/assets/entities/generalservices/cpo/attachments/List_of_persons_pursuant_to_Tenn._Code_Ann._12-12-106,_Iran_Divestment_Act-July.pdf)

## **INSURANCE REQUIREMENTS**

The Vendor shall purchase and maintain for the duration of the contract insurance against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the work hereunder by the Vendor, its agents, representatives, employees or subcontractors.

### **A. MINIMUM SCOPE AND LIMITS OF INSURANCE**

#### **1. Workers Compensation**

Workers Compensation insurance shall be in compliance with the State of Tennessee and shall be statutory. Employers Liability shall be included with a minimum limit of \$500,000 per accident/per disease/per employee.

#### **2. Commercial General Liability**

Commercial General Liability insurance shall have a minimum limit per occurrence of \$1,000,000 and a minimum general aggregate of \$2,000,000. It shall include completed operations, product liability and personal injury liability insurance.

#### **3. Automobile Liability**

Automobile Liability Insurance shall have a minimum combined single limit per occurrence of \$1,000,000. This insurance shall include third-party bodily injury and property damage liability for owned, hired, borrowed and non-owned automobiles.

### **B. DEDUCTIBLES AND SELF-INSURED RETENTIONS**

Any deductibles or self-insured retentions must be declared to the Town of Smyrna. The Vendor shall be responsible for all deductibles and self-insured retentions.

### **C. OTHER INSURANCE PROVISIONS**

The policies are to contain, or be endorsed to contain, the following provisions:

#### **1. General Liability and Automobile Liability Coverages**

- a. The Town, its elected and appointed officials, agents, employees and volunteers shall be named as an additional insured as regards negligence by the vendor.
- b. The Vendor's insurance shall be primary as respects the Town, its elected and appointed officials, agents, employees and volunteers. Any insurance or self-insurance maintained by the Town of Smyrna shall be excess and non-contributory of the Vendor's insurance.

#### **2. Workers Compensation and Employers Liability Coverage**

The insurer shall agree to waive all rights of subrogation against the Town, its elected and appointed officials, agents, employees and volunteers for losses arising from work performed by the Vendor for the Town of Smyrna.

#### **3. All Coverages**

- a. Coverage shall not be canceled, suspended, or voided by either party (the Vendor or the insurer) or reduced in coverage or in limits except after 30 days written notice has been given to the Town of Smyrna. Ten-day written notice of cancellation is acceptable for non-payment of premium. Notifications shall comply with the standard cancellation provisions in the Vendor's policy.
- b. Neither the acceptance of the completed work nor the payment thereof shall release the Vendor from the obligations of the insurance requirements or indemnification agreement.
- c. The insurance companies issuing the policies shall have no recourse against the Town of Smyrna for payment of premiums or for assessments under any form of the policies.
- d. Replacement certificates, policies or endorsements shall be provided to the Town for any such insurance expiring prior to the completion of services.
- e. Any failure of the Vendor to comply with reporting provisions of the policy shall not affect coverage provided to the Town, its elected and appointed officials, agents, employees and volunteers.

#### **D. ACCEPTABILITY OF INSURERS**

All required insurance shall be provided by a company or companies licensed to conduct business in the State of Tennessee. Insurance shall be underwritten by insurers with an A.M. Best Company ratings no less than an A.

#### **E. VERIFICATION OF COVERAGE**

The Vendor shall furnish the Town with Certificates of Insurance reflecting proof of required coverage. The Certificates for each insurance policy are to be signed by a person authorized by that insurer to bind coverage on its behalf. **The Certificates are to be received and approved by the Town before work commences and upon any contract renewal thereafter.**

Upon failure of the Vendor to furnish, deliver and maintain such insurance as requested, this contract, at the election of the Town, may be suspended, discontinued or terminated. Failure of the Vendor to purchase and/or maintain any required insurance shall not relieve the Vendor from any liability or indemnification under the contract.

The Certificate of Insurance naming the "Town of Smyrna" as **Additional Insured** shall be addressed to the attention of:

Town of Smyrna  
Department of Safety & Risk Management  
ATTN: Kay Charles  
315 S Lowry St  
Smyrna, TN 37167

The Town reserves the right to request complete certified copies of all required insurance policies at any time.

## **F. SUBCONTRACTORS**

Vendor shall include all subcontractors as insureds under its policies **OR** shall be responsible for verifying and maintaining the Certificates provided by each subcontractor. Subcontractors shall be subject to all of the requirements stated herein. The Town of Smyrna reserves the right to request copies of subcontractor's Certificates at any time.

## **G. WORKERS' COMPENSATION INDEMNITY**

In the event Vendor is not required to provide or is exempt from providing workers' compensation coverage, the parties hereby agree that Vendor, its owners, agents and employees will have no cause of action against, and will not assert a claim against the Town of Smyrna, its elected and appointed officials, agents, employees and volunteers, under any circumstances. The parties also hereby agree that the Town of Smyrna, its elected and appointed officials, agents, employees and volunteers shall in no circumstance be, or considered as, the employer or statutory employer of Vendor, its owners, agents and employees. The parties further agree that Vendor is a wholly independent vendor and is exclusively responsible for its employees, owners, and agents. Vendor hereby agrees to protect, defend, indemnify and hold the Town of Smyrna, its elected and appointed officials, agents, employees and volunteers harmless from any such assertion or claim that may arise from the performance of this contract.

## **HOLD HARMLESS AND INDEMNITY REQUIREMENT:**

Vendor shall indemnify and hold harmless, to the maximum extent permitted by law, the Town of Smyrna and its officers, agents, employees, volunteers, from and against any and all liability, damages, losses, (whether in contract or in tort, including personal injury, accidental death or property damage, and regardless, of whether the allegations are false, fraudulent or groundless), and costs (including reasonable attorney's fees, litigation, arbitration, mediation, appeal expenses) which in whole or in part are caused by the negligence, recklessness or intentional wrongful misconduct of the Vendor and persons employed by or utilized by the Vendor in Vendor's performance of this Agreement.

The vendor further agrees to protect, defend, and save the Town, its elected and appointed officials, agents, employees and volunteers while working in the scope of their duties as such, harmless from and against all claims, demands, and causes of action of any kind of character, including the cost of their defense, arising in favor of the vendor's employees or third parties on account of bodily or personal injuries, death or damage to property arising out of services performed or omissions of services or in any way resulting from the acts of omissions of the vendor and/or its agents, employees, subcontractors, representative of the Town under this agreement.

Pursuant to Tennessee Attorney General Opinion 93-01, the Town will not indemnify, defend or hold harmless in any fashion the Vendor from any claims arising from any failure, regardless of any language in any attachment or other document that the Vendor may provide.

**APPLICABLE LAW:**

Any contract resulting from this ISQ shall be governed by and construed under the laws of the State of Tennessee.

**SECTION II - SPECIFICATIONS AND PRICE QUOTATION FOR PUMPER EQUIPMENT**

The Town of Smyrna requests quotations on equipment for the Fire Department. Equals must be approved prior to bid opening by Asst. Chief James Lawrence or Asst. Chief Ferris Belcher. Items may be returned without a re-stocking charge. All items should meet or exceed N.F.P.A. standards. Submit manufacturer’s specifications on equipment being quoted. The Town reserves the right to select the best individual unit price.

**EQUIPMENT**

1. Blackhawk DE-911 6 lb flathead axes with yellow handles. The DE 9-11 Series Rescue Axes offer an electrically non-conductive to 100,000 volts AC, advanced polymer handle system combined with drop-forged, heat-treated carbon steel head.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
3	_____	_____

2. Blackhawk DE-911 6 lb pick head axes with yellow handles. The DE 9-11 Series Rescue Axes offer an electrically non-conductive to 100,000 volts AC advanced polymer handle system combined with drop-forged, heat-treated carbon steel head.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
3	_____	_____

3. Bracket Holder - Chrome Plated Axe Holder Bracket Kit. Two-Piece chrome plated axe holder w/Spring Tension Clips

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

4. 6’ Zico Model IBM – 6 with MPH pike head, yellow

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

5. 8’ I-Beam Pike Poles – yellow

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

6. 12' I-Beam Pike Poles – yellow

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

7. D handle closet hooks – yellow Zico Model #: CH-32-PC. 32" closet hook with MPH head.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

8. Paratech 36" Hooligan Tool with standard claw. Include Zico mounting bracket Model # MB-SQB. Mounting bracket set mounts the QUIC-BAR style tools with the pointed surfaces toward the wall or mounting surface.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

9. 12 lb. sledge hammers with 36" yellow handle.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

10. Koehler™ Bright Star™ Right-Angle Responder™ Flashlight - Features an interchangeable power supply—ideal for emergency situations. Manufacturer: Koehler™ Bright Star™ 500221. UL Class I, Division 1 , Group D Operating Temp T3 approved

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
15	_____	_____

11. Scott AV3000 Sure Seal Medium SCBA Mask Part # 805337-12/-32  
 Low-profile design allows improved downward and peripheral vision and fits a broad range of facial sizes to simplify fit testing. 2 built-in large voicemitters enhance speech. Omnimount bracket (sold separately) allows communication interface on either side of facepiece. Feature a comfortable nose cup and 6-pt. quad adjustment head harness. Polyisoprene material. Fully interchangeable with other Scott® SCBA and air-supplied respirators. Model features a reverse reflex seal for the most advanced fit and comfort. Mounting seal provides a wide, low-profile landing area for reliable PPE interface. Kevlar® mesh head harness with positioning tab for quick donning and alignment.

- Meet NFPA 1981-2007 and ANSI Z87.1-2009



- CBRN approved
- NIOSH approved

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
<b>15 Medium</b>	_____	_____

12. Scott AV-3000 Series Eyeglass kit - Part # 805753-01

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
<b>6</b>	_____	_____

13. Scott RIT-Pak 111 with 4.5 60 minute cylinder. Unit will work with Scott Air pak 75 Model 4.5. Mask will be an AV3000 Sure Seal Large.  
Part #'s 200954-02 RIT 111, 804722-01 60min bottle 201215-29 Lg Sure Seal Mask

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
<b>1</b>	_____	_____

14. 14 oz. vinyl salvage covers 12' x 18'. Certified flame resistant. Must meet NFPA 701. Made of 14 ounce flame, water and rot resistant material. Waterproof. Tear resistant. Punctures will not spread. Weatherproof. Resists UV and mildew. Performs well in extreme temperature environments hot or cold, Cleanable - soap and water will remove dirt, grease, oil stains and surface mildew on nylon/vinyl covers.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
<b>8</b>	_____	_____

15. Spanner wrench sets with hydrant wrenches and mounting brackets Red Head style 148-3 with style 148 holder, one style 105 hydrant wrench and two (2) Style 101 spanner wrenches.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
<b>4</b>	_____	_____

16. Pair of 36 inch bolt cutters with mounting brackets. 36" Hi-tensile bolt cutter. Zico Model #: HIT-900-R. 36" Hi-tensile bolt cutter: Specially treated to cut harder material like chain, links, high tensile bolts, pre-stressed concrete wire, tempered spring steel wire. Cuts up to Brinell 450 and Rockwell C-48. Exceeds GGG-740d Federal Specs. The HIT-900-R cuts up to 11/32". Zico mounting brackets. Model BCB Bolt cutter bracket: Designed for use with 18" to 36" bolt cutters, with adjustable stop and pin. Utility straps hold the bolt cutter handles firmly in place. One each BCB-FS-05 fixed strap and one each BCB-VS-0565 variable strap shall be provided with each bracket.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
<b>1</b>	_____	_____

17. DIRECT CONNECT ADAPTER. Elkhart D-327A ( Elk-O-Lite 2 1/2" female x 1 1/2" Male. With Pyrolite® construction and a tapered waterway for reduced turbulence

QTY	PRICE EACH	TOTAL COST
6	_____	_____

18. Ladder belts: Gemtor Ladder/escape pompier belt model 531. 2 small, 1 medium, 1 large, 1 XL, and 2 XXL. Belts made of specially woven, high strength nylon webbing, lock stitched with high tenacity nylon thread, 3" wide buckle strap, 5" wide body pad, Double tongue buckle for fast engagement and release of the belt. Zinc plated steel Pompier hook with automatic, one-hand twist lock operation. Hardware meets 50 hour salt spray test, UL classification.

QTY	PRICE EACH	TOTAL COST
7	_____	_____

19. 1200 foot red and white life safety rope material: 100% nylon type 6.6, construction: Block creel, static kernmantle. Temperature: melt point 480 degrees F (240 C). Lengths: 1 foot to 1,200 feet (1 meter to 365 meters). Certification: UL classified to NFPA latest edition. Elongation: 1.5% at working loads and less than 18% at minimum breaking strength. Diameter Inch (mm): 1/2" (12.5), Min. Strength lb. (kN): 9,500 (42), Weight lb./100ft: 7.5

QTY	PRICE EACH	TOTAL COST
1200 ft.	_____	_____

20. Rescue Tech Rope Bag - Rescue red rope bags model 80131X, Standard features: Constructed of heavy duty water resistant Cordura nylon sides and nearly-indestructible Ballistic Nylon bottom. Side seams of bags are double stitched so that no fabric edges are exposed for fraying. Bottom seam is double stitched and webbing reinforced for superior strength and resistance to abrasion. Drawstring closure with cord lock. Accommodates rope and or equipment. Has unique inside log book pouch. Handles connected to interior. Grommet on bottom allows drainage.

QTY	PRICE EACH	TOTAL COST
8	_____	_____

21. Double female 2 1/2" adapters with NST threads – Red Head style 35 double swivel female.

QTY	PRICE EACH	TOTAL COST
2	_____	_____

22. Double male 2 1/2" adapters with NST threads – Red Head style 36 double male.

QTY	PRICE EACH	TOTAL COST
2	_____	_____
10		

23. Double female 1 1/2" adapter with NST threads – Red Head style 35 double swivel female.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

24. Double male 1 1/2" adapter with NST threads – Red Head style 36 double male.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

25. 18" Super Vac gas powered fan – Model 718G4H with a 6.5 horsepower Honda motor.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

26. Hose Hoist - Akron style 583. Akrolite construction. For raising hose, ladders, etc. to and from the roof.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

27. Fire Hose - 1100' of 1 3/4" cloth double jacketed hose. 50 ft. sections, polyester double jacket attack grade hose, MTFSS Hose with Red Head Coupling NST, white in color. Meets all current NFPA Standards.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1100 ft.	_____	_____

28. Hose clamp with mounting brackets – Clamp must fit up to 4 inch hose.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

29. Hose jacket – Akron style 773. Akrolite Body, molded neoprene liner, fits hose size 3 1/2" to 3 3/4" OD. Supplied with Mounting Peg.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

30. Elkhart 2.5" Wat-r-wall Nozzles. Cast brass construction, 2.5" free swivel inlet, 2.5" male outlet with cap and chain (can be removed to extend line), Flows 100 GPM (380 L/min) @ 100 psi, Finish chrome plated.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

31. Hydrant valve – Akron style 2285, pyrolite with non-rising stem and crank handle for easier operation at standard operating pressures.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

32. Hose straps – Akron style 78, secures hoses up to 3” on ladders, fire escapes, etc. and aids in the handling of fire hose. Anodized aluminum fittings with 1” wide, flat, water resistant nylon webbing. Fits ladder rungs up to 2” OD.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
4	_____	_____

33. 1½” Elkhart select-o-matic nozzles SM-30FG. Select-0-Matic® with pistol grip nozzles automatically and instantly adjust to fluctuating water flow, assuring efficient and effective firefighting streams. These automatic nozzles have a stainless steel, spring mechanism that helps to maintain constant pressure. Constructed of rugged light-weight aluminum alloy, all Select-0-Matic® automatic nozzles that have a hard anodized finish for protection from damaging elements. All Select-0-Matic® hand line nozzles have replaceable spinning teeth and a shutoff feature that utilizes a hydraulically balanced celon ball with an adjustable neoprene seat. This combination makes it almost impossible for the nozzle to slam shut accidentally while remaining easy to open and close - even at high pressures. The shut- off also has a durable handle, cast aluminum bronze, with double stops. Select-0-Matic® automatic nozzles have a compact design, superior stream quality and easy field maintenance.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
10	_____	_____

34. 2 ½” play pipes with shutoffs and stacked tips – Akron style 2393. Axial play pipe & stacked tips-Pyrolite. 2 ½” Swivel 2420 tips and 2390 play pipe. Orifices – 1”, 1 1/8”, 1 ¼”.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
4	_____	_____

35. Elkhart model DSM-30FG – Select – o-matic 2 ½ pistol grip nozzle

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
3	_____	_____

36. Cellar nozzles – Akron model 535. 2 ½” Cellar nozzles. 9 variable angle orifices, 3 of ¼” and 6 of 13/32”. Meets ISO requirements. 250 gpm at 100 psi.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
2	_____	_____

37. 6" NHT to 4" storz piston intake valve. - Elkhart model 9786 elk-o-lite. Hand wheel activated metal piston. Adjustable relief valve from 75 to 250 psi. Drop angle 35 degree below horizontal. Air bleeder valve. Retractable hand wheel knob.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

38. Large diameter spanner wrenches – Kochek Model KS34 with holder ( Has 4 wrenches )

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

39. AED – Cardiac Science Power Heart AED G5 Semi-Automatic with premium carry case and ready kit. The unit will include battery, two pair of adult pads, and two pair of pediatric pads.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

40. Foam nozzle – Akron model 3952. 1 1/2" swivel inlet, 95 gpm.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

41. Akron model 2127 handle. Shutoff with pistol grip 1 1/2" swivel inlet x 1 1/2" male

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

42. 2 1/2" to 1 1/2" gated wye – Akron model 2581. Leader line wye. 2 1/2" female inlet x two 1 1/2" male outlets.

<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
1	_____	_____

43. Hose - 25 foot section of 5 inch red vinyl hose with Red Head NST couples both female on each end. One end will be a 4.5 inch female and other will be 5 inch female. Both ends will be Red Head NST Style 19 Long Handle Female

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

1	_____	_____
---	-------	-------

44. Q Rae III – Q Ray 3 (4 gas monitor) with Reliable plug-in “smart” sensors: Combustible, Oxygen, Hydrogen Sulfide, Carbon Monoxide, Robust external casing for harsh environments, including a strong protective rubber boot, water and dust resistance, rugged ABS plastic/metal case, and protection from portable radio interference (RFI). Ease of use with one-hand operation; one button calibration with auto zero capability, Strong built-in sample draw pump, with a flow rate at 150cc/min optional and collapsible remote sampling probe, prevents liquid flow into monitor and its patented security mechanism warns of sample tube crimping or blockage, Option of Li-ion, alkaline, and automotive 12V adapter charger, Field replaceable batteries, Unit will run and charge simultaneously, large keys are operable even with three layers of gloves, loud audible alarm, bright visual alarm, standard 20,000 point (or 100 hours) data logging storage capacity for download to PC (compatible with Windows 98, NT, 2000, and XP).

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

1	_____	_____
---	-------	-------

45. K- Tool Kit with 6” Shove Knife. Designed to pull all types of lock cylinders (rim or mortise) from the various glass type or solid doors.

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

2	_____	_____
---	-------	-------

46. Quickfit Sprinkler Shutoff – Akron 1078

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

4	_____	_____
---	-------	-------

47. Traffic Cones – 28” Collapsible pop up cones. LED light with Flash and Steady modes, 10" x 10" Base, 4" & 6" reflective collars, 5 cone kit, Each 28" collapsible cone weighs approx. 4 lbs., Carrying case included

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

4	_____	_____
---	-------	-------

48. Extenda-Lite 500-Watt Portable Hand Light- Akron PL500 - This hand light has a powerful 500 watt (120v) light head that features a new highly polished specular hammertone reflector which almost doubles its' light output. This portable hand light has a sturdy aluminum housing with high temperature carrying handle and tilt control knob. Heavy duty ground tripod base with rubber footings. Standard with prewired 12 pigtail and L5-15. Heavy-duty chrome-plated wire guard. Part #ELST-500-POD-WG

	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	4	_____	_____
49. Indian Tank - DB Smith 500FSV Collapsible Indian Smokechaser Backpack Pump, 5 Gal.			
	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	1	_____	_____
50. High rise strap – Hose Vice 200. Capacity is 150 or 200 feet of 1 3/4". 3M reflective has been added to increase visibility. With adjustable carry strap.			
	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	2	_____	_____
51. Extinguisher – 20lb ABC			
	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	1	_____	_____
52. Extinguisher – 2.5 Gallon Water			
	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	1	_____	_____
53. Extinguisher – 10lb CO2			
	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	1	_____	_____
54. Quick Fist Tool Mounting Assortment – Item #90099, 42 Clamps-Five Different Sizes in One Package.			
	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	2 Packages	_____	_____
55. Grass Flapper- FLAMEFIGHTER- Heavy Duty Fire Flapper with 5 foot fiberglass handle			
	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	2	_____	_____
56. Mounting Plate - QL48Z, 2.5 QUICLOC MT PLATE ZINC CP			
	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	12	_____	_____

57. Pulley - RNR Poseidon Series Prusik Minding Pulley w/Aluminum Sheave & Aluminum Side Plates. Style will be single. 3 inch.

QTY	PRICE EACH	TOTAL COST
2	_____	_____

58. Hooks - OMEGA PACIFIC, Auto Locking Gate Ladder Hooks.

QTY	PRICE EACH	TOTAL COST
2	_____	_____

59. Firefighter Irons Sling Carrying Strap- Brand Milwaukee Iron Strap fit to carry hooligan and axe together.

QTY	PRICE EACH	TOTAL COST
2	_____	_____

60. Cutters edge multi cut ventilation saw with 24 inch bar. CE2188RSD10R. Unit will include:

- a. Operation and Maintenance Manual
- b. Bullet Chain (Extra)
- c. Tree Cutting Chains

QTY	PRICE EACH	TOTAL COST
1	_____	_____

61. Pinch Point Bars – Akron PPB-36

QTY	PRICE EACH	TOTAL COST
1	_____	_____

62. Pinch Point Bar Bracket – Akron PPBH

QTY	PRICE EACH	TOTAL COST
1	_____	_____

63. MPC 40PF Air-Purifying Cartridge – Scott Health and Safety

QTY	PRICE EACH	TOTAL COST
20	_____	_____

64. QRAE 2 confined space kit. Kit will include calibration gas 29L. The carrying case will transport the monitor, calibration gas, and gas-detection infrastructure equipment. The case will be rugged, water-proof, dust-proof, and shock-resistant.



QTY	PRICE EACH	TOTAL COST
1	_____	_____

65. AutoRAE 2 Automatic bump test and calibration system. The unit will include the cradle for Auto Rae 2 for the QRAE 3, calibration gas demand flow regulator, and Dandux Davis Non-DEHP Tygon lab tubing 1/8 "ID x 1/4 " in a 50' roll.

QTY	PRICE EACH	TOTAL COST
1	_____	_____

66. 5 gallon bucket Chemguard 3% x 6% AR-AFFF is a specially formulated, aqueous film forming free flowing viscous foam concentrate. It forms a vapor suppressing aqueous film on hydrocarbon type fuels or a polymeric membrane on polar solvent/water miscible type fuels.

QTY	PRICE EACH	TOTAL COST
20	_____	_____

67. 2.5 gallon bucket of diesel exhaust fluid. Diesel Exhaust Fluid (DEF) is one of the key elements of the Selective Catalytic Reduction (SCR) process used by most medium and heavy-duty engine builders to meet EPA 2010 regulations.

QTY	PRICE EACH	TOTAL COST
40	_____	_____

68. L.A. Rescue O2 to go plus ems jump kit. Features will include
- a. Center padded compartment holds a standard or jumbo aluminum D oxygen cylinder, and has tough mesh pockets store oxygen masks and supplies.
  - b. Top opening lid has tough mesh compartments for various medical supplies.
  - c. Unique color coded pouches aid in organization.
  - d. Exterior long side compartment has elastic loops for airways, trauma dressings, etc., and can store cervical collars.
  - e. Exterior end pouch can store demand valve, etc.
  - f. Ballistic-material bottom is incredibly tough and waterproof.
  - g. Deluxe padded shoulder strap is included.
  - h. This bag is backed by L.A. Rescue's Lifetime Warranty.
  - i. Bag dimensions are 28"L x 12"W x 10"H.

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

1	_____	_____
---	-------	-------

69. Aluminum D size oxygen cylinder with post valve.

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

1	_____	_____
---	-------	-------

70. Elevator Key Set

- a. Manufactured to conform with the majority of elevator manufacturers access keys. This convenient set of quality keys consists of: volt resistant key with 5000 volt resistance of spring steel; swing door access key; rib key "T" style; vandal proof access key; half moon key (large); half moon key (small); drop key, adjustable; side exit key;"Z" key round stock; knife key with "T" handle; shove knife; kerry key.

Set comes on a large jailers ring for easy storage and use. Split ring for easy removal.

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

1	_____	_____
---	-------	-------

71. Roll of "Fire Line Do Not Cross" Tape

- a. Designed to protect and identify above ground hazardous areas, work areas, crime scenes, crowd control and any potentially dangerous areas.
- b. PRODUCT SPECS
  - i. Made of 3"W, 3-mil thick vinyl with easy-to-read black block letters
  - ii. Rolls of 1000 feet
  - iii. Corrugated dispenser case

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

50	_____	_____
----	-------	-------

72. 25' of 3" Red Vinyl Nitrate Hose Fill Line with 2 1/2" NST Red Head Couplings

QTY	PRICE EACH	TOTAL COST
-----	------------	------------

5	_____	_____
---	-------	-------

73. Scott AV – 3000 First Responder Adapter – Part # 200423-01

	<b>QTY</b>	<b>PRICE EACH</b>	<b>TOTAL COST</b>
	20	_____	_____
<b>TOTAL OF ALL UNIT PRICES</b>		_____	
<b>GRAND TOTAL FOR ALL ITEMS</b>			_____

**SECTION III - SPECIFICATION COMPLIANCE**

Unless otherwise noted, all quotations for the equipment shall be in complete accordance with the specifications detailed herein.

Bidders shall note in the space provided below any exceptions or deviations in any way from the specifications of any section of this ISQ. Bidders should provide complete detail of exceptions or deviations.

Proposal Exceptions

Section	Brief Description
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>

By signature below, vendor acknowledges any quotation to be in full compliance with all aspects of each section of the ISQ not noted above. The undersigned hereby declares that no person or party other than the undersigned has any interest whatever in this proposal, that it is without any connection or collusion with any person or persons making or having made any proposal for the same work and without any previous understanding with such person or persons as to relative prices, obviating competition, and that it is made in good faith.

\_\_\_\_\_  
COMPANY

\_\_\_\_\_  
FAX NUMBER

\_\_\_\_\_  
REPRESENTATIVE NAME & TITLE

\_\_\_\_\_  
TELEPHONE NUMBER

\_\_\_\_\_  
SIGNATURE

\_\_\_\_\_  
E-MAIL ADDRESS